

BRONX

IP65 die-cast aluminium and polycarbonate LED bulkhead for **commercial outdoor** areas





APPLICATIONS

- For commercial exterior use on walkways, entrances and building perimeters

CONSTRUCTION

- Die-cast aluminium base
- Polycarbonate cover, hinged and retained with stainless steel screws

BRONX LED SLIM

TECHNICAL DETAILS

- Available in standard and slim formats:


BRONX LED STANDARD


- Standard: 31W, 2,611 lm, 84 l.lm/c.W
- Slim: 30W, 2,490 lm, 88 l.lm/c.W
- CRI >80
- CCT 4000K

OPTIONS

EMERGENCY Emergency versions are not available.

PHOTO-CELL Available with dusk/dawn photo-cell fitted. Use suffix PEC.





ORDER CODE	DESCRIPTION
NBX2700/LED/840	BRONX STANDARD 31W LED WALL PACK COL840
NBX2700/LED/PEC/840	BRONX STANDARD 31W LED WALL PACK +PE CELL COL840
NBX30SL/LED/840	BRONX SLIM 30W LED WALL PACK COL840
NBX30SL/LED/PEC/840	BRONX SLIM 30W LED WALL PACK +PE CELL COL840

AMENITY LIGHTING



BRONX... is a high-output, IP65 and IK10 rated fitting for commercial use





Perimeter & security lighting

BRONX is a good solution for perimeter and security lighting:

- LEDs provide **100% output instantly** when switched on, unlike the HID and CFL fittings that the BRONX LED often replaces
- **Huge energy savings** in the past, security lighting was often left on all night. With a good presence detector and the BRONX LED this is no longer necessary.
- LEDs are not affected by frequent switching, so being triggered several times during one night will not shorten their life