



AAXLED/50/WW

Axiom Rigid LED Strip Warm White 7W Silver Grey



Features

Ultra slim profile rigid linkable LED strip.

Suitable for continuous illumination to a maximum of 5 metres.

Protective front cover.

Supplied with metal flush fixing clips.

LED lifespan L70 40,000 hours.

General Information

Lamp Type	LED
Colour / Finish	Silver Grey
IP Rating	IP20
Class Protection	3
Internal / External	Internal
Warranty (Years)	2
CE Mark	Yes
Height / Depth	12
Length / Diameter	500
Width	20
Accessories	AAXLED/ML, AAXLED/250LL, AAXLED/500LL, AAXLED/1000LL, AD30W/12V, AD75W/12V, ADDIM75W/12V


Technical Information

Wattage	7W
Lumens Delivered	454lm
Lm/W	65 Lm/W
CRI	Ra 60
CCT	3000K
Input	12V DC
Hertz	50/60Hz
Operating Temp	-20°C to 45°C

Technical Data - ETIM 6 - Ceiling-/wall luminaire (EC002892)

Suitable for suspended mounting	No
Lamp type	LED not exchangeable
With light source	Yes
Lamp holder	None
Colour housing	Grey
Voltage type	DC
Nominal voltage	12-12 V
Control gear included	No
Degree of protection (IP)	IP20
Protection class	III
Rated luminous flux acc. IEC 62722-2-1	454 lm
Colour of light	White
Colour temperature	3000-3000 K
Colour rendering index CRI	60-69
Length	500 mm
Width	20 mm
Lamp power	7 W
Lamp power at multiwatt	Not applicable
Suitable for emergency lighting	No
Emergency unit integrated	No
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
With light sensor	No
With movement sensor	No
Max. system power	7 W

Type of grid	None
Reflector	None
Light sharing	Symmetric
Light outlet	Direct
Height/depth	12 mm
Ambient temperature	-20-45 °C
Suitable for light line configuration	Yes



Datasheet generated from <http://www.electrika.com> last updated Thursday, December 7, 2017 12:00:13 PM