



## ACONLED/CL/WW

IP65 Concho AC LED Strip Warm White Cut-Length (1 Metre Multiples) 11W p/M



## Features

High output LED strip for external applications.

Supplied as specific cut-lengths to order.

AC LED strip does not require driver.

3000K/4000K LED suitable for installations up 50 metres run length.

Cutting points: White LED 500mm.

Non-returnable product.

LED lifespan L70 35,000 hours.

Non-dimmable

All pre-cut lengths are supplied pre-leaded and sealed with power supply connection and end cap.

## General Information

|                                |          |
|--------------------------------|----------|
| Lamp Type                      | LED      |
| IP Rating                      | IP65     |
| Class Protection               | 2        |
| Internal / External            | Internal |
| Surface / Recessed / Suspended | Surface  |
| Warranty (Years)               | 2        |
| CE Mark                        | Yes      |
| Length / Diameter              | 1000     |

## Technical Information

|                |               |
|----------------|---------------|
| Wattage        | 11W per metre |
| CRI            | Ra 80         |
| CCT            | 3000K         |
| Input          | 230V          |
| Hertz          | 50/60Hz       |
| Operating Temp | -20°C to 45°C |

## Technical Data - ETIM 6 - Light ribbon-/hose/-strip (EC002706)

Lamp type LED not exchangeable

Voltage type AC

Degree of protection (IP) IP65

Colour temperature 3000-3000 K

Colour White

Length 1000 mm

Width 18 mm

Height 8.5 mm

Model Hose

Lamp power per meter 11 W

Lamp voltage 230 V

With end piece Yes

With connection set No

Self-adhesive No



