



AGLED/3M

Guardian LED Bulkhead Maintained / Non-Maintained 3W White



Features

Ultra-slim profile LED polycarbonate bulkhead.

Supplied with self-adhesive legend.

Side and rear cable entries.

Hinged screwless gear tray for ease of installation.

Viewing distance 18 metres.

General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP65
Class Protection	1
Internal / External	Internal/External
Surface / Recessed / Suspended	Surface
Warranty (Years)	3
CE Mark	Yes
Height / Depth	55
Length / Diameter	352
Width	110
Accessories	AGLED/KIT, ASBP/2

Technical Information

Wattage	3W
Lumens Delivered	119lm (Emergency), 160lm (Standard)
CCT	6500K
Input	230V
Hertz	50/60Hz
Operating Temp	0C° to 45C°

Technical Data - ETIM 6 - Emergency luminaire (EC001957)

Mounting method	Wall surface mounted
With light source	Yes
Material housing	Plastic
Colour housing	White
Voltage type	AC
Nominal voltage	230-230 V
Degree of protection (IP)	IP65
Protection class	I
Rated luminous flux acc. IEC 62722-2-1	160 lm
Colour of light	White
Colour temperature	6500-6500 K
Length	352 mm
Width	110 mm
Lamp power	3 W
Height/depth	55 mm
Type of indicator	Only single-sided
Labelling type	Sticker
Luminous flux at emergency operation	119 lm
Recognition distance	18 m

Datasheet generated from <http://www.electrika.com> last updated Tuesday, January 23, 2018 3:28:34 PM

