



ASLED/3NM

Signal LED Emergency Downlight 1.5W Non-Maintained



Features

Economic and compact LED Non-Maintained fixed downlight

White powder coat paint finish

LED combines power and green charge indicator

3 hour emergency output

120° beam angle

General Information

Lamp Type	LED
Colour / Finish	White
Emergency	Yes
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Warranty (Years)	3
CE Mark	Yes
Height / Depth	33
Length / Diameter	45
Accessories	ASBP/8

Technical Information

Wattage	1.5W
Lumens Delivered	124lm
CCT	6500K
Input	230V
Hertz	50/60Hz
Operating Temp	0°C to 45°C

Technical Data - ETIM 6 - Emergency luminaire (EC001957)

Mounting method	Built-in
------------------------	----------

With light source	Yes
--------------------------	-----

Colour housing	White
-----------------------	-------

Voltage type	AC
---------------------	----

Nominal voltage	230-230 V
------------------------	-----------

Degree of protection (IP)	IP20
----------------------------------	------

Protection class	I
-------------------------	---

Colour of light	White
------------------------	-------

Colour temperature	6500-6500 K
---------------------------	-------------

Outer diameter	45 mm
-----------------------	-------

Lamp power	1.5 W
-------------------	-------

Autonomy	3 h
-----------------	-----

Height/depth	33 mm
---------------------	-------

Type of indicator	Not applicable
--------------------------	----------------

Luminous flux at emergency operation	124 lm
---	--------

Datasheet generated from <http://www.electrika.com> last updated Tuesday, January 23, 2018 3:28:34 PM

