



CorePro LEDspot MV

CorePro LEDspotMV 3.5-35W GU10 840 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

| General Information | | Operating and Electrical | |
|---------------------------------------|---------------------|---------------------------------|-------------|
| Cap-Base | GU10 [GU10] | Input Frequency | 50 to 60 Hz |
| Nominal Lifetime (Nom) | 15000 h | Power (Rated) (Nom) | 3.5 W |
| Switching Cycle | 50000X | Lamp Current (Nom) | 30 mA |
| Technical Type | 3.5-35W | Wattage Equivalent | 35 W |
| | | Starting Time (Nom) | 0.5 s |
| | | Warm Up Time to 60% Light (Nom) | 0.5 s |
| | | Power Factor (Nom) | 0.5 |
| | | Voltage (Nom) | 220-240 V |
| Light Technical | | Temperature | |
| Color Code | 840 [CCT of 4000K] | T-Case Maximum (Nom) | 85 °C |
| Beam Angle (Nom) | 36 ° | | |
| Luminous Flux (Nom) | 300 lm | Controls and Dimming | |
| Luminous Flux (Rated) (Nom) | 300 lm | Dimmable | No |
| Luminous Intensity (Nom) | 650 cd | Approval and Application | |
| Color Designation | Cool White (CW) | Energy Saving Product | Yes |
| Rated Beam Angle | 36 ° | Suitable For Accent Lighting | Yes |
| Correlated Color Temperature (Nom) | 4000 K | Energy Efficiency Label (EEL) | A++ |
| Luminous Efficacy (Rated) (Nom) | 77.14 lm/W | Energy Consumption kWh/1000 h | 4 kWh |
| Color Consistency | <6 | | |
| Color Rendering Index (Nom) | 80 | | |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | | |
| Luminous Flux in 90° Cone (Rated) | 270 lm | | |


CorePro LEDspot MV

Product Data

| | |
|-------------------------------|--|
| Full product code | 871869656332800 |
| Order product name | CorePro LEDspotMV 3.5-35W GU10 840 36D |
| EAN/UPC - Product | 8718696563328 |
| Order code | 929001220302 |
| Numerator - Quantity Per Pack | 1 |

| | |
|---------------------------------|--------------|
| Numerator - Packs per outer box | 10 |
| Material Nr. (12NC) | 929001220302 |
| Net Weight (Piece) | 0.038 kg |




Dimensional drawing



GU10 230V 3.5W-35W 36D 4000K ND

| Product | D | C |
|--|-------|-------|
| CorePro LEDspotMV 3.5-35W GU10 840 36D | 50 mm | 54 mm |

Photometric data



VLE D 6.3-35 W GU5.3 /840 MR16

CorePro LEDspot MV

