



CorePro LEDcapsule MV

CorePro LEDcapsuleMV 2.3-25W G9 827 D

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data


General Information		Wattage Equivalent	
Cap-Base	G9 [G9]	Wattage Equivalent	25 W
Nominal Lifetime (Nom)	15000 h	Starting Time (Nom)	0.5 s
Switching Cycle	50000X	Warm Up Time to 60% Light (Nom)	0.5 s
Technical Type	2.3-25W	Power Factor (Nom)	0.7
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	82 °C
Luminous Flux (Nom)	215 lm		
Luminous Flux (Rated) (Nom)	215 lm	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	Yes
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (Rated) (Nom)	93.48 lm/W	Approval and Application	
Color Consistency	<6	Energy Saving Product	Yes
Color Rendering Index (Nom)	80	Suitable For Accent Lighting	No
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Efficiency Label (EEL)	A++
		Energy Consumption kWh/1000 h	3 kWh
Operating and Electrical		Product Data	
Input Frequency	50 to 60 Hz	Full product code	871869657869800
Power (Rated) (Nom)	2.3 W	Order product name	CorePro LEDcapsuleMV 2.3-25W G9 827 D
Lamp Current (Nom)	15 mA		

CorePro LEDcapsule MV

EAN/UPC - Product	8718696578698
Order code	929001232002
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12

Material Nr. (12NC)	929001232002
Net Weight (Piece)	0.012 kg



Dimensional drawing




Capsule 230V 2.3W-25W 210lm 2700K G9 D

Product	D	C
CorePro LEDcapsuleMV 2.3-25W G9 827 D	23 mm	51 mm

Photometric data



Calculation Photometrics 4.5 Philips Lighting B.V. Page 1/1



CorePro LEDcapsule MV

