



CorePro LEDcapsule LV

CorePro LEDcapsuleLV 2-20W G4 827 D

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs without any compromise on light quality.

Product data


General Information		Starting Time (Nom)	
Cap-Base	G4 [G4]	Starting Time (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time to 60% Light (Nom)	0.5 s
Switching Cycle	50000X	Power Factor (Nom)	0.7
Technical Type	2-20W	Voltage (Nom)	12 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	84 °C
Luminous Flux (Nom)	200 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	200 lm	Dimmable	Yes
Color Designation	Warm White (WW)	Approval and Application	
Correlated Color Temperature (Nom)	2700 K	Energy Saving Product	Yes
Luminous Efficacy (Rated) (Nom)	100.00 lm/W	Suitable For Accent Lighting	Yes
Color Consistency	<6	Energy Efficiency Label (EEL)	A++
Color Rendering Index (Nom)	80	Energy Consumption kWh/1000 h	3 kWh
LLMF At End Of Nominal Lifetime (Nom)	70 %	Product Data	
Operating and Electrical		Full product code	871869657865000
Power (Rated) (Nom)	2 W	Order product name	CorePro LEDcapsuleLV 2-20W G4 827 D
Lamp Current (Nom)	220 mA	EAN/UPC - Product	8718696578650
Wattage Equivalent	20 W		

CorePro LEDcapsule LV

Order code	929001235302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929001235302

Net Weight (Piece)	0.012 kg
--------------------	----------




Dimensional drawing



Capsule 12V 2W-20W 200lm 2700K G4 D

Product	D	C
CorePro LEDcapsuleLV 2-20W G4 827 D	17 mm	48 mm

Photometric data



CorePro LEDcapsule LV

