



CorePro LEDbulb

CorePro LEDbulb D 11-75W A60 B22 827

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data


General Information	
Cap base	B22 [B22]
Nominal lifetime (nom.)	15000 h
Switching cycle	50000X
Technical type	11-75W
Light Technical	
Colour code	827 [CCT of 2700K]
Beam Angle (Nom)	150 °
Luminous flux (nom.)	1055 lm
Luminous flux (rated) (nom.)	1055 lm
Colour designation	Warm white (WW)
Correlated colour temperature (nom.)	2700 K
Luminous efficacy (rated) (nom.)	95.91 lm/W
Colour consistency	<6
Color rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	11 W
Lamp current (nom.)	65 mA
Wattage equivalent	75 W
Starting time (nom.)	0.5 s

Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	85 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb finish	Frosted (FR)
Approval and Application	
Energy efficiency label (EEL)	A+
Energy Consumption kWh/1000 h	11 kWh
Product Data	
Full product code	871869676276900
Order product name	CorePro LEDbulb D 11-75W A60 B22 827
EAN/UPC – product	8718696762769
Order code	76276900
Numerator – quantity per pack	1
Numerator – packs per outer box	10

CorePro LEDbulb

Material no. (12NC)	929001353202
Net weight (piece)	0.060 kg




Dimensional drawing



A60M 230V 11-75W 1055lm 2.2-2.7KK B22 D



Product	D	C
CorePro LEDbulb D 11-75W A60 B22 827	60 mm	110 mm

Photometric data



CorePro LEDbulb

Lifetime



LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38

